UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/071,936	02/07/2002	Terry Robert Ecklund	10022/182	9850
	7590 10/28/200 CHICAGO 28164	EXAMINER		
BRINKS HOFE	ER GILSON & LIONE	BILGRAMI, ASGHAR H		
P O BOX 10395 CHICAGO, IL 60610			ART UNIT	PAPER NUMBER
			2443	
			MAIL DATE	DELIVERY MODE
			10/28/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/071,936	ECKLUND ET AL.
Office Action Summary	Examiner	Art Unit
	ASGHAR BILGRAMI	2443
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the o	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by stature Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>25 .</u> This action is FINAL . 2b) ☑ This action is application is in condition for allowated closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4)	awn from consideration. re rejected.	
9) The specification is objected to by the Examin 10) The drawing(s) filed on <u>07 February 2002</u> is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	re: a)⊠ accepted or b)⊡ objecte e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Application/Control Number: 10/071,936 Page 2

Art Unit: 2443

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4, 6, 10-12, 15-18, 20, 25-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ollikainen (U.S. Pub No. 2003/0074475A1), Ndili (U.S. Pub No. 2002/0161928 A1) and Tracy el al (5,979,757).
- 3. As per claims 1, 6, 11, 15-17, 28 Ollikainen disclosed a wireless communication system comprising: a remote server including a predetermined mark-up language file; a proxy server configured to communicate with said remote server, wherein said proxy server is programmed to receive a request to retrieve said predetermined mark-up language file, wherein said request is transmittable from a wireless communication device, wherein said request received from said wireless communication device is generated in response to selection of a menu item from among a plurality of menu items displayable with said wireless communication device {regarding web pages and (Mark-up language) browsers please see paragraphs.25, 49, 54, 70, 75} wherein said request is to retrieve said predetermined mark-up language file said request being in a first format that is converted into a second format by said proxy server (paragraphs. 26, 46 & 47), said second format being used to retrieve said predetermined mark-up language

Application/Control Number: 10/071,936

Art Unit: 2443

file from said remote server. However Ollikainen did not explicitly disclose wherein said proxy server is configured to divide said predetermined mark-up language file into a plurality of viewable segments, said plurality of viewable segments being a predetermined number of viewable segments, including a first viewable segment and a second viewable segment, said first viewable segment and said second viewable segment each being sized less than a display buffer and sized to fit within a viewable area of a display screen of said wireless communication device so that a whole of any one of said viewable segments and a navigation aid are viewable at the same time in said viewable area of said display screen, wherein said proxy server is further configured to generate said navigation aid, wherein said proxy server is further configured to transmit said first first-viewable segment and said navigational aid in response to said request, said navigation aid being selectable with said wireless communication device to request said second viewable segment and wherein said Proxy server is further configured to transmit said second viewable segment upon receipt of a selection of said navigation aid by said wireless communication device. In the same field of endeavor Ndili disclosed wherein said proxy server is configured to divide said mark-up language file into a plurality of viewable segments including a first viewable segment and a second viewable segment (Page.5. paragraphs78-80), said first viewable segment and said second viewable segment each being sized less than a display buffer and sized to fit within said viewable area of said display screen of said wireless communication device so that a whole of any one of said viewable segments and a navigation aid are viewable at the same time in said viewable area of said display

Page 3

Art Unit: 2443

screen (page.3, paragraphs 47-51 & page.6, paragraphs. 83 & 84), wherein said proxy server is further configured to generate said navigation aid wherein said proxy server is further configured to transmit said first first-viewable segment and said navigational aid in response to said request, said navigation aid being selectable with said wireless communication device to request said second viewable segment and wherein said Proxy server further configured to transmit said second viewable segment upon receipt of a selection of said navigation aid by said wireless communication device (page.5, paragraphs 78 through 81 & page6, paragraphs 82 through 84).

It would have been obvious to one in the ordinary skill in the art at the time the invention was made to have incorporated the segmentation of the received predetermined mark-up language file as disclosed by Ndili in a wireless communication system disclosed by Ollikainanen order to make the Internet browsing of a mark-up language file more efficient for the user resulting in smooth reception and reliable availability of mark-up language data to the user's handheld device.

However neither Ollikainen nor Ndilla disclose wherein said proxy server is further configured to generate said navigation aid, wherein said proxy server is further configured to transmit said first first-viewable segment and said navigational aid in response to said request, said navigation aid being selectable with said wireless communication device to request said second viewable segment and wherein said Proxy server is further configured to transmit said second viewable segment upon receipt of a selection of said navigation aid by said wireless communication device. In the same filed of endeavor Tracy disclosed wherein said proxy server is further

Application/Control Number: 10/071,936

Art Unit: 2443

configured to generate said navigation aid, wherein said proxy server is further configured to transmit said first first-viewable segment and said navigational aid in response to said request, said navigation aid being selectable with said wireless communication device to request said second viewable segment and wherein said Proxy server is further configured to transmit said second viewable segment upon receipt of a selection of said navigation aid by said wireless communication device (col.10, lines 9-32).

Page 5

It would have been obvious to one in the ordinary skill in the art at the time the invention was made to have incorporated proxy server being further configured to generate a navigation aid with the viewable segment as disclosed by Tracy in a wireless communication system disclosed by Ollikainen and Ndili in order to make the communication system more versatile and efficient for the user resulting in smooth reception and reliable availability of mark-up language data to the user's handheld device.

4. As per claims 4, 10 & 12 Ollikainen – Ndili and Tracy disclosed the wireless communication system of claim 1, wherein said proxy server is configured to convert said viewable segments into a format compatible with said wireless communication device (Ndili, page.5, paragraphs 78 through 81 & page6, paragraphs 82 through 84).

Application/Control Number: 10/071,936 Page 6

Art Unit: 2443

- 5. As per claim 18 Ollikainen Ndili and Tracy disclosed the computer network of claim 17, wherein said size of said viewable area of said display screen is determined by querying with the said proxy server said wireless communication device (Ndili, page.5, paragraphs 78 through 81 & page6, paragraphs 82 through 84).
- 6. As per claims 20 Ollikainen Ndili and Tracy disclosed the wireless communication system of claim 15, wherein the whole of one of said first viewable segment or second viewable segment (Ndili, Page 5. paragraphs 78-81) and least one if said first navigation aid and or said second navigation aid are viewable simultaneously in said display (Tracy, col.10, lines 9-32).
- 7. As per claims 25 Ollikainen Ndili and Tracy disclosed the method of claim 17, further comprising: generating a menu with said wireless communication device, wherein said menu includes a plurality of menu items selectable with an input device included in said wireless communication device, wherein said plurality of menu items include an integration and application programming interface (API) tools menu item (Ndili, paragraph.149), a technical services menu item, and a gateway services menu item, wherein said menu is displayable only when said wireless communication device is in communication with said proxy server; receiving a selection of a menu item from said menu items with said input device; and generating said request for said

Application/Control Number: 10/071,936

Art Unit: 2443

predetermined mark-up language file from said selected menu item (Ndili,

Page 7

Paragraphs.144-146).

8. As per claims 26 & 27 Ollikainen – Ndili and Tracy disclosed the wireless communication system of claim 1, wherein said plurality of viewable segments includes a third viewable segment, and said navigation aid is a first navigation aid, wherein said proxy server is further configured to generate a second navigation aid and a third navigation aid, wherein said proxy server is further configured to transmit said second navigation aid and said third navigation aid with said second viewable segment in response to receipt from said wireless communication device of selection of said first navigation aid, said second navigation aid being selectable with said wireless communication device to request said first viewable segment and said third navigation aid being selectable with said wireless communication device to request said third viewable segment, wherein said proxy server is further configured to transmit said first viewable segment in response to receipt from said wireless communication device of selection of said second navigation aid, and wherein said proxy server is further configured to transmit said third viewable segment in response to receipt from said wireless communication device of selection of said third navigation aid (Tracy, col.10, lines 9-32).

Application/Control Number: 10/071,936 Page 8

Art Unit: 2443

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ASGHAR BILGRAMI whose telephone number is (571)272-3907. The examiner can normally be reached on 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tonia L.M. Dollinger can be reached on 571-272-4170. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/A. B./ Examiner, Art Unit 2443

/Tonia LM Dollinger/ Supervisory Patent Examiner, Art Unit 2143